Preserve Dy 21.13

App F IX 4

1930.

(Jul)

File No. 176-30

Serial Nos. 4(a), 5 to 8

Previous References
Jul 69-28 (3 to 15)
Jul 32-27 (78 to 81)

Later References

PRESERVED

General and Revenue Secretariat.

Serial Nos Five

Part B for March 31

SUBJECT.

Purification of the water in Doddakere Tank at Mysore

---

8 The Chairman, Mysore City Improvement Trust Board
" President, Mysore City Municipal Council
" Chief Engineer
" Comptroller
L 7482-5 Dy 13-3-31

Directs that the cost of purification be met by the Trust Board and the maintenance charges by the Mysore City Municipal Council

Gms 7/

L2362

App F III—2]

General and Revenue Secretariat — Mel File No 176 of 1930-31

Serial No

14 (2) From The Chairman, Nuwara Eliya Urban District Council No 611 dated the 6th/7th Nov: 1930.

Solicits, under the circumstances explained, orders of Government in the matter of meeting the cost of purifying the water of Dodkare Tank at Nuwara Eliya amounting to above Rs 2500/= from the Trust Board Funds.

---

1) Municipal file leading to the issue of G.O. No. L9350-1 - Mel 32-27-81 dated the 30th June 1928 sanctioning an estimate for Rs 1500 for draining off Doddakare Tank at Nuwara Eliya from Trust Board Funds and G.O No: L3400-2 - Mel 69-28 (1st) of 5-11-28 sanctioning an estimate for Rs 20000 for removing silt from Doddakare Tank & for putting up an embankment for the formation of a road are put up for reference -

2) Following the above precedents, the Chairman has now proposed to meet the cost of purifying the water of Doddakare Tank from Trust Board Funds. But Sir Charles Joohnson K.C.S.I., and two other Trustees,

Note—Contn Sheet

WD 02563—G PB—50 000—8 7 30

L 2362

File No 176 of 193 O

General and Revenue Secretariat (2

have questioned the propriety of meeting the expenditure of this work from Trust Board funds

3) The Chairman further suggests that a recurring expenditure of Rs 250/= per mensem would be necessary to keep the water of the tank in a fit condition for bathing and Municipal purposes which Department is responsible for the maintenance of the tank The Trust Board the Municipality the Palace or the D.P.W

4) Both the Chief Engineer and the Camp Office to Government may perhaps be consulted un-officially in the matter submitted for orders

13.11.30 5) Gen Secy) 13.11.30

6) A- Yes
RJ
13/11/30

7) Forwarded with compliments U.O. to the Chief Engineer of Mysore for favor of opinion

By Order
V Subrahmanyasastry
For Gen. Secy to Govt
13. 11 1930.

U.O. No 1144 of 30
14/11/30

Rs No 148 D 15-11

9821 — WA 29 — 20/11

General and Revenue Secretariat — File No 176 of 1930 — App F III (3-2)

Serial No

148 D 18 11/2.3

8) Returned, with compliments, to the General Secretary to Government.

7) 2. The question is one pertaining to the Municipality.

15) 3 The tank is within the Municipal limits and there is no irrigation under it. No revenue accrues to the State from it. Hitherto, no expenditure on improvements, maintenance or silt clearing has been met by this Department and there is no justification for meeting the cost from the P. W. Department.

M. Rangaiya
17/11/30

Chief Engineer of Mysore.

Bangalore,
November 1930.

V.N.S.

20.11.30

21) Forwarded with Compliments to the Comptroller in reply for favour of Advice.

By order
V. Subrahmanyasastry
For General Secy: to Govt

Bangalore
20.11.30

Above 46/30
20/11

COMPTROLLER'S OFFICE 20 NOV 1930 BANGALORE.

Sheet 2-79 Spl

WD 02003-GPB-50,000-8 7 30

~~2~~ 3 ~~-~~

(4

File No 176 of 1930

General and Revenue Secretariat

No 836 WA&I 13-12-30
One enclosure

Returned with Compliments

13) The Kinds of works which the Trust Board can take up are enumerated in sections 14 and 15 of the Trust Board Regulation - The present work may perhaps be regarded as one falling under 15 (2) (c) as a sanitary arrangement - and its Cost debited to the Trust Funds - The maintenance charges in future years are properly payable by the Municipality and the Palace which ~~benefit~~ utilises the water of the tank

Ashamanee

13/12/30

No 234 dt 16 12 30

Secy

16 DEC 1930

18 12 30

L 2360
2930

(5-

App F III—2]

General and Revenue Secretariat

ML File No 176 of 1930

Serial No	
5-	From The Chairman Nilgiris Dmpd No 764 & 2-12-1930 In continuation of his letter No 611 & 6-11-30, states that the monthly expenditure on Doddabetta Tank to maintain the water in a fit condition for use may be reduced to about Rs 50/- instead of Rs 250 as originally reported --- 1a) The main file has been sent to the Comptroller un-officially on 20-11-1930. This will await the return of the said file. Submd for orders 13-12-30 1b) Yes 15-12-30 The file may [illegible] be sent to the Financial Secretariat for favour of opinion. 18/12/30 16) The minimum wages are stated to be inadequate to meet [illegible] any expenditure in connection. [illegible]

NOTE—Contn Sheet

*WD 02553—G P B—50 000—8 7 30

K-2362-1930

(6)

mL File No 176 of 1930

General and Revenue Secretariat

17) The majority of the Trust Bd members are agreeable to meet the cost of the improvements suggested by Mr. Middleton's memo questioning the propriety of meeting the cost from the Trust Bd funds subject to orders to whether

(1) the initial cost of Rs 250 may be met from the Trust Bd funds

(2) the Municipal Council may be asked to meet the recurring charges which are now reported to amount to Rs 50 a month only

Thing to be considered first before the Trust Bd

18/12/30
18) Law Secy

18.12.30

18) Fin Member

2/1/31

20) Draft order

Issue

12-1-31

13.1.31

9/1/31

10/1/31

OFFICE OF THE THIRD MEMBER OF COUNCIL
9 JAN 1931
3446

2930 17

App. F. [II—2]

General and Revenue Secretariat — File No. 176 of 1930

Serial No	
6	To The Chairman, Mysore City Improvement Board. No 25697 dt 14.1.31. Enquires if the Mysore City Improvement Board would be willing to bear the recurring charges of Rs 50/- pm for Cleaning Doddakere Tank at Mysore.
7	From -do- No 1162 dt 23/24.2.31. Forwards copy of Mun. Commrs resolution dt 31.1.31, approving a recurring expenditure of Rs 50/- per mensem for the maintenance of Doddakere Tank at Mysore.
	22) Submitted for Orders — Refer. Members minute dated 9th Jan 1931 in paragraph 3 of the notes supra. (Sd) 4.3.31 (23) 3rd Member) 5.3.31
	24) Issue Sanction & file.
	25) Draft R.T.
	26) Draft G.O. submitted (Sd) 10/3/31.
	27) Issue 10.3.31

OFFICE THIRD 6 MAR 1931 5325

Sus A

NOTE—Contn Sheet

W.P. 02563—G.P.B.—50,000—6-7-30

2930

ML File No 176 of 193 | General and Revenue Secretariat

Sec-8 --- To The Chairman, Mysore Agl-Improvement Trust Board President, Mysore Agl-Mel-Chief Engr of Mysore Comp-Keller-Ao Engr--

Nos: L7482-5 Dt 13-3-'31

Sanctions the Estimate for Rs 2500/= for the Purification of Dodkere Tank from the Trust Bd: funds & also the Resolution of the Mel-Cl: agreeing to bear the recurring charges of Rs 50/= per. towards maintenance Charges of the Tank

B

No 611
Enc. 2 only

Office of the Chairman,
City Improvement Trust Board, Mysore
Dated 6th November 1930

From

T G. RAMA IYER, ESQ., B A,
Chairman, City Improvement Trust Board,
Mysore

To

The General Secretary,
to the Government of His Highness the Maharaja of
Mysore.

Sir

I have the honour to state that the water of Doddakere Tank became very offensive and unhealthy owing to putrefaction of green vegetable algae (plankton) in the water a few days ago. It was so offensive and unhealthy that the Second Member of Council who was pleased to inspect the tank gave me instructions to take up the work of purifying the water of the tank and if necessary to partly drain it pending consideration as to who should bear the cost. The water was accordingly treated under the instructions and personal guidance of Mr. Mieldazis, Sanitary Engineer of the Rockfeller Foundation who was good enough to pay constant visits and guide us in the operations. The treatment prescribed by him is appended to this letter. The operations have been quite successful judging from the results so far obtained. The cost of the treatment prescribed by Mr. Mieldazis is expected to be well within Rs 2,500/-but accurate figures cannot be furnished till the bills for the value of the chemicals and labour are received. Two years ago when the water of the tank became very offensive, the draining of the tank and the removal of silt was undertaken at the cost of the City Improvement Trust Board under instructions and the expenditure was sanctioned from the Trust Board funds vide Government orders No.L.3400-2/Ml. 69-28-15 dated 30th/5th November 1928 and 9350-1/Ml.32-27-81 dated 30th June 1928. Following that precedent, the cost of the present work is also proposed to be borne from the City Improvement Trust Funds and the sanction of a majority of the Trustees has been

obtained by circulation for charging the cost of the present work approximating to about Rs 2,500/- to Trust Board Funds (copy of Memo circulated to the Trustees is herein enclosed). Sir. Charles Todhunter K.C.S.I., and two other Trustees have questioned the propriety of meeting the expenditure of this work from Trust Board Funds.

2. It is estimated that a monthly expenditure of about Rs 250/- would be necessary to keep the water of the tank in a fit condition for bathing. As far as references in this office go, there are no clear orders of Government as to which department is responsible for the maintenance of the Tank - the Trust Board, the Municipality, the Palace or the D.P.W. There is no irrigation under the Tank - the lands under the tank being gardens largely belonging to the Palace. I request the orders of Government as to which departments should bear the present expenditure and also the future expenditure for the maintenance of the tank. So far as the Municipality is concerned, it is practically impossible for them to bear any expenditure in connection with the tank. It will be seen from the Budget estimates of 1930-1931 as passed by Government that the anticipated closing balance is only Rs 10,357/- . Owing to depression of trade, there has already been a fall of Octroi income to the extent of about Rs 7,000/- as compared with last year and it is anticipated that there will be fall in the Octroi revenue at least to the extent of about Rs 10,000/- reducing the closing balance at the end of this year to nil. It is therefore impossible for the Municipality to bear any portion of the present or proposed future expenditure as there is very little scope for reappropriation.

I have the honor to be,

Sir,

Your most obedient servant,

Chairman.

Office of the Chairman,
City Improvement Trust Board, Mysore.
30th October 1930

Memorandum.

Water in Doddakere has become very filthy and emits offensive smell owing to putrefaction. To abate this unwholesome and insanitary condition, it is proposed, under the adviceof Mr. Meildazis, Sanitary Engineer of the Rockfeller foundation to treat the tank in accordance with the process described in the appendix herein attached. The approximate cost of the treatment comes to about Rs 2,500/- . The Trustees are requested to accord their kind approval to incur the said expenditure from Trust Board Funds.

Sd. T.G.Rama Iyer,
Chairman.

Trustees.

1. Sir. Charles Todhunter, K.C.S.I., (This seems to be a work for the Municipality. I should like to see authority for treating it as falling within the function of the Improvement Trust.)
Id. C.T. 1.11.30.

2. The Director of Health in Mysore. Approved. (Id). G.M.D.

3. Rajamanthrapravina Diwan Bahadur P.Raghavendra Rao,B.A., B.L., Approved. (Id)P.R. 31.10-30.

4. Lokahitaishi H.Nanjundaraja Urs,Esq.,(If on previous occasion, this has been done by the Trust Board, now also the work of the cost may be met from the Trust Board fund.)
(Sd.) H.Nanjundaraj Urs.
6-11-30.

5. The Vice-President, City Municipal Council,Mysore. ~~Seen~~ Agree. Id.M.R.

6. The Health Officer -do- Approved. (Id). M.G.P.

7. Mahomed Sait,Esquire.,(It is a purely Municipal matter - therefore I agree with Sir. Charles Todhunter - also it may be ascertained and intimated under whose charge the maintenances of the tank is i.e.D.P.W, Municipality or Palace - then the subject might be discussed in the next meeting.)

Sd. Mahomed Sait.

4-11-30.

8. K.Dhanakotichetty,Esquire.,(If by spending Rs 2,500/- as noted above the putrefaction and the smell could be permanently stopped I heartily approve of the expenditure. The issue raised by Sir. Charles Todhunter deserves some consideration. Further, from what item of the budget the expenditure will be met is not mentioned in the note.

Sd.K.Dhanakotichetty,

1-11-30.

"Copy"

Chairman.

Treatment.

1. Copper sulphate to be applied at the rate of 2 to 4 lbs per million gallons; copper sulphate crystals to be placed in gunny bags and dragged behind boats or rafts for the treatment of deeper portions of tank; shallow edges to be treated with a concentrated solution of copper sulphate.

2. Chlorine- Depths beyond 4 feet to be applied in gas form by means of rubber diffusers or manifolds. Shallow edges to be treated with bleaching powder or perchloran or in the absence of both, with a saturated solution of chlorine. Chlorine should be applied at the rate of 10 (ten) pounds per million gallons.

Caution- In applying chlorine gas great care should be exercised to maintain the diffusers or manifolds at a depth of at least four feet; otherwise the men attending the process are liable to become affected by the chlorine gas.

~~Sd. T.G. Rama Iyer,~~
~~Chairman~~

"Copy"

Chairman.

Jud 176 30-5

Dy. No 764
B 2/12/30

Office of the Chairman,
City Improvement Trust Board, Mysore
Dated 1st December 1930

GEN & REV SECTT. 2930 8 DEC 1930 P BRANCH

FROM

T G. RAMA IYER, ESQ., BA.,
Chairman, City Improvement Trust Board,
Mysore

To

The General Secretary,
to the Government of His Highness the Maharaja of
Mysore.

SIR

In continuation of this office letter No.611 dated the 6th ultimo regarding the monthly expenditure of Rs 250/- required to keep the water of the Doddakere tank in a fit condition for bathing, I have the honour to state that as per subsequent suggestions received from Mr. Mieldazis, Sanitary Engineer, Rockfeller Foundation, the monthly expenditure on Doddakere Tank to maintain the water in a fit condition for use may be reduced to about Rs 50/- instead of Rs 250/- as originally reported.

I have the honor to be,
Sir,
Your most obedient servant,

Chairman.

Appendix F G—1

SUBJECT

Diary No of letter replied to 2930

General and Revenue Secretariat
( )
the 193

Date of issue 14-1-31

Signed by Mr V. S Sastri

List of enclosures

Copied by

Examined by

Section ml
File No 176-30
Serial No 6
No L5697

To The Chairman
Nuwara eliya Municipality

Sir With reference to correspondence ending with your letter no: 766 of the 1st Dec: 1930 intimating that the monthly maintenance charges for keeping the Doddakere Tank in a fit condition for use will be about Rs 50/ instead of Rs 25/- as originally reported I am directed to enquire of the Nuwara eliya

[over

WD02559—GPB—25,000—25 6-30

Municipal Council

Dear Sirs

Receiving Charges.

I have etc.,

10.1.31

Lucien Lévy
Bruxelles.

Ml:176-30-7

No 1162 Ext

Office of the Chairman,
City Improvement Trust Board, Mysore

Dated 23rd February 1931
24

FROM

T G. RAMA IYER, ESQ., B A.,
Chairman, City Improvement Trust Board,
Mysore

GEN & REV SECTT. 477 1931 L. & C BRANCH.

To

The General Secretary,
to the Government of His Highness the Maharaja
of Mysore.

SIR

With reference to your letter No.L.5697/Ml.176-30-6 dated 14th January 1931 enquiring if the Mysore City Municipal Council would be willing to bear the recurring monthly charges of Rs 50/- for maintenance of Doddakere Tank, I have the honour to forward herewith a copy of Municipal Council Resolution No.283 dated 31st January 1931 for the information of Government in the matter.

I have the honour to be,
Sir,
Your most obedient servant,

Chairman.

Proceedings of the 14th (Ordinary) meeting of the Mysore City Municipal Council, held in the Council Chamber on Saturday the 31st January 1931 at 8 A.M.

---

x x

283. Letter No.974 dated 20th January 1931 from the Chairman, City Improvement Trust Board, Mysore, forwarding copy of letter No.L.5697/Ml.176-30-6 dated 14th January 1931 from the General Secretary to Government regarding the maintenance of Doddakere Tank and requesting to be informed if the Mysore City Municipal Council would be willing to bear the monthly recurring charges of Rs 50/-

x x

Sanctioned -

"Copy"

Chairman.

G R S App F VI G-2]
SUBJECT

Diary No of letter replied to 4177

General and Revenue Secretariat

( )

the *193*

Date of issue 12/2/31

Signed by Mr V. S Sastri

May this be

(i) Printed ?

(ii) treated as a standing order ?

(iii) published in the Gazette, English Part ?

(iv) translated ?

(v) placed at the disposal of the press ?

(vi) published in the Gazette, Kannada Part ?

Sec Nil
File No. 176-30
Serial No 8

Proceedings of the Government of His Highness the Maharaja of Mysore

Read—

Letter no 611 dated the 6/7 th Nov: 1930. from the Chairman, Mysore Big Improvement Trust Board, Soliciting Orders of Government in the matter of meeting the cost of purifying the Water of Doddakere Tank [redacted] amounting to Rs 2500/- and its monthly maintenance Charges

2. Correspondence ending with letter no. 1162 dated 23rd/24 Feb. 1931 from the same Office forwarding copy of the resolution of the Mysore Big Mc: Cl & 31st Jan: 1931,

P.T.O

agreeing to bear the monthly
recurring charges of Rs 50/-
for the maintenance of
the tank

Order No: L 7482—S

Dt 13th March 1931.

Government consider that
the purification of the Water
of Doddakere Tank at Mysore may be regarded as
is a Sanitary arrangement coming
under Sec. 15 (2) (C) of the H R
Mysore City Improvement
Trust Board Regulation
and they direct that the
estimated cost of Rs 2500
for this purpose be paid
from the Trust Board Funds

2. The maintenance charges
amounting to Rs 50/- p.m.
will be met by the Mysore
City Municipal Council as agreed to
by them

10.3.31

for General Secy: to Govt

To
10/4/31

The Chairman, Mysore City Improvement Trust Board
President, Mysore City Municipal Council
Chief Engineer of Mysore
Camp Office

(Ex) Jdb 10-3-31.

List of enclosure

14/3/31.

Copied by

Examined by

WD 02560 -GPB —11,250—2 7 30

PROCEEDINGS OF THE GOVERNMENT OF HIS HIGHNESS
THE MAHARAJA OF MYSORE

Read:-

Letter No.611 dated, the 6/7th November 1930, from the Chairman, Mysore City Improvement Trust Board, soliciting orders of Government in the matter of meeting the cost of purifying the water of Doddakere Tank amounting to Rs.2,500/- and its monthly maintenance charges.

2. Correspondence ending with letter No.1162 dated, the 23/24th February 1931, from the same Officer, forwarding the resolution of the Mysore City Municipal Council dated, the 31st January 1931, agreeing to bear the monthly recurring charges of Rs.50/- for the maintenance of the tank.

ORDER NO.L. 7482-5/ ME 126-30-8

Dated, Bangalore, the 13th March 1931.

Government consider that the purification of the water of Doddakere Tank at Mysore may be regarded as a sanitary arrangement falling under Section 15 (2) (c) of the Mysore City Improvement Trust Board Regulation and they direct that the estimated cost of Rs.2,500/- for this purpose be paid from the Trust Board Funds.

2. The maintenance charges amounting to Rs.50/- per mensem will be met by the Mysore City Municipal Council as agreed to by them.

V Subrahmanyasastri

For General Secretary to Government.

To

The Chairman, Mysore City Improvement Trust Board.
" President, City Municipal Council, Mysore.
" Chief Engineer of Mysore.
" Comptroller to the Government of Mysore.

K.-R. 5.
11/3/31